


## MOD. VB270




### Especificaciones técnicas




| MOD        | FORATURA DRILLING ISO 5211 | CH | A   | B     | C  | D   | E   | F    | G  | H  | I  | L  | M   | N     | O      | ØP  | Q   |
|------------|----------------------------|----|-----|-------|----|-----|-----|------|----|----|----|----|-----|-------|--------|-----|-----|
| MOD. VB270 | F07-F10                    | 22 | 222 | 233,5 | 77 | 170 | 182 | 51,5 | 54 | 40 | 24 | 70 | 102 | M8x20 | M10x20 | 110 | 115 |

### Diagramas electricos


**SCHEMA ELETTRICO DAL VB030 AL VB350 e DAL VB015M AL VB350M 12V AC/DC 50/60 Hz, 24V AC/DC 50/60 Hz, 100-240V AC 50/60 Hz**  
**ELECTRIC WIRING FROM VB030 TO VB350 AND FROM VB015M TO VB350M 12V AC/DC 50/60 Hz, 24V AC/DC 50/60 Hz, 100-240V AC 50/60 Hz**



**SCHEMA ELETTRICO CON POSIZIONATORE DAL VB030 AL VB350 e DAL VB015M AL VB350M 12V AC/DC 50/60 Hz, 24V AC/DC 50/60 Hz, 100-240V AC 50/60 Hz**  
**ELECTRIC WIRING WITH POSITIONER FROM VB030 TO VB350 AND FROM VB015M TO VB350M 12V AC/DC 50/60 Hz, 24V AC/DC 50/60 Hz, 100-240V AC 50/60 Hz**



**SCHEMA ELETTRICO CON POSIZIONE INTERMEDIA DAL VB030 AL VB350 E DAL VB030M AL VB350M 24V AC/DC 50/60Hz, 100-240V AC 50/60Hz**  
**ELECTRIC WIRING WITH MIDDLE POSITION FROM VB030 TO VB350 AND FROM VB030M TO VB350M 24V AC/DC 50/60Hz, 100-240V AC 50/60Hz**



# Aplicaciones



FOOD &  
BEVERAGE



HVAC



PAINTS &  
SOLVENTS



WATER  
TREATMENT



CHEMICAL



OEM



POWER &  
RENEWABLE  
ENERGY