


## MOD. VB060M




### Specifiche tecniche




| MOD         | FORATURA DRILLING ISO 5211 FLANGE | CH | A   | B  | C  | D   | E   | F  | G   | H   | I  | L | M  | N  | O | P     | Q     | R  |
|-------------|-----------------------------------|----|-----|----|----|-----|-----|----|-----|-----|----|---|----|----|---|-------|-------|----|
| MOD. VB060M | F05-F07                           | 14 | 139 | 56 | 35 | 220 | 197 | 63 | 134 | 176 | 16 | - | 50 | 70 | - | M6X14 | M8X15 | 10 |

### Diagrammi elettrici


**SCHEMA ELETTRICO DAL VB030 AL VB350 e DAL VB015M AL VB350M 12V AC/DC 50/60 Hz, 24V AC/DC 50/60 Hz, 100-240V AC 50/60 Hz**  
**ELECTRIC WIRING FROM VB030 TO VB350 AND FROM VB015M TO VB350M 12V AC/DC 50/60 Hz, 24V AC/DC 50/60 Hz, 100-240V AC 50/60 Hz**



**SCHEMA ELETTRICO CON POSIZIONATORE DAL VB030 AL VB350 e DAL VB015M AL VB350M 12V AC/DC 50/60 Hz, 24V AC/DC 50/60 Hz, 100-240V AC 50/60 Hz**  
**ELECTRIC WIRING WITH POSITIONER FROM VB030 TO VB350 AND FROM VB015M TO VB350M 12V AC/DC 50/60 Hz, 24V AC/DC 50/60 Hz, 100-240V AC 50/60 Hz**



**SCHEMA ELETTRICO CON POSIZIONE INTERMEDIA DAL VB030 AL VB350 E DAL VB030M AL VB350M 24V AC/DC 50/60Hz, 100-240V AC 50/60Hz**  
**ELECTRIC WIRING WITH MIDDLE POSITION FROM VB030 TO VB350 AND FROM VB030M TO VB350M 24V AC/DC 50/60Hz, 100-240V AC 50/60Hz**



# Applicazioni



FOOD &  
BEVERAGE



HVAC



PAINTS &  
SOLVENTS



WATER  
TREATMENT



CHEMICAL



OEM



MARINE