



## MOD. 32

### Technical specifications

#### Drawing





**A** Rotazione antioraria  
CCW rotation

**B** Rotazione oraria  
CW rotation

## Materials

POSITION	PART NAME	MATERIAL	N.° PIECES
1	Body	Extruded aluminium	1
2	Anti-blowout pinion	Steel	1
3	O-ring	NBR	1
4	O-ring	NBR	1
5	Spacer ring	POM	1
6	Snap ring	Steel	1
7	Piston	Die cast aluminium	2
8	O-ring	NBR	2
9	Stop bolt	Stainless steel	2
10	O-ring	NBR	2
11	Washer	Stainless steel	2
12	Stop bolt retaining nut	Stainless steel	2
13	Left end cap	Die cast aluminium	1
14	Right end cap	Die cast aluminium	1
15	End cap seats	NBR	2
16	End cap fixing screw	Stainless steel	8
17	Position indicator	Gomma termoplastica TPEThermoplastic rubber TPE	1

## Table

MOD	FORATURA DRILLING ISO 5211	CH	A	B	C	D	E	ØF	G ISO 7/1	H	L	M	N	O	P	Q	ØR
MOD. 32	F03	9	110	45	45	20	65	11,8	1/8"	10	50	25	12	M5x7,5	36	34,5	22

## Notes

Parts subject to wear

## Applications



FOOD &  
BEVERAGE



HVAC



PULP & PAPER



PAINTS &  
SOLVENTS



WATER  
TREATMENT



CHEMICAL



OEM



OIL & GAS

